

L Number	Hits	Search Text	DB	Time stamp
1	0	indicat\$4 with bit adj field with source with target with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:48
2	13	indicat\$4 with bit adj field and source with target with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:53
4	13	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:54
5	10	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:54
6	3	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:55
7	1	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with target	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:55
8	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with (source and target and operand)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:56
9	3	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with (source)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:56
11	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 and multi\$4 adj thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:57
12	5	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 and multi\$4 adj thread\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:57
13	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 and multi\$4 adj thread\$4 and (gbs (giga adj byte))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:58
14	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 and multi\$4 adj thread\$4 and "32" adj thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:58
15	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 and multi\$4 adj thread\$4 and "32" near3 thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:58
16	0	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 and multi\$4 adj thread\$4 and "bytes per second"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 09:58
10	2	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with (source and (destination target) and operand)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 10:22
17	2	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with (source and (destination target) and operand) and access\$4 with (field bit)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 10:25

18	2	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with (source and (destination target) and operand) and access\$4 with (field bit) and instruction and bit adj field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 11:02
22	2	processor with execut\$4 and indicat\$4 with bit adj field and source with target with operand and manipulats\$4 with (source and (destination target) and operand) and access\$4 with (field bit) and instruction and bit adj field and operand with source with destination	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/06/08 11:02
-	10551	bit adj field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	652	access\$4 with bit adj field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	11	access\$4 with bit adj field with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	9	access\$4 with bit adj field with operand and instruction with operation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	5	access\$4 with bit adj field with operand and instruction with operation and source with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:18
-	2	access\$4 with bit adj field with operand and instruction with operation and source with operand and target with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:18
-	0	access\$4 with bit adj field with operand and instruction with operation and source and target and bit with manipulats\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:18
-	1	access\$4 with bit adj field with operand and instruction with operation and source and target and bit with manipulats\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:19
-	1	access\$4 with bit adj field with operand and instruction with operation and source and target and manipulats\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:19
-	1	access\$4 with bit adj field with operand and instruction with operation and source and target and manipulats\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:19
-	3	access\$4 with bit adj field with operand and instruction with operation and source and target	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:22
-	1	access\$4 with bit\$field with operand and instruction with operation and source and target	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:20
-	3	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:23
-	1	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task with manag\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:23

-	2	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:23
-	-2-	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-	2	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-	2	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-	1	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-	2	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:26
-	1	access\$4 with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output adj buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:25
-	2	access\$4 with bit with field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:25
-	33	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:19
-	2	(access\$4 retriev\$4) with bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:26
-	9	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:27
-	9	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:42

-	9	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
-	2	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 adj bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
-	2	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 with bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
-	9	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:50
-	9	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:50
-	2	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:51
-	8	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:55
-	1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and input adj buffer and output adj buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:56
-	1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and input with buffer and output with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:56

-	8	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and input same buffer and output same buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:58
-	8	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:24
-	1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with (send\$4 transmit\$4 transfer\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:07
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with submi\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:07
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with mov\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:07
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with transmit\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08

-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with transform\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-	2665328	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 receiv\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with receiv\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-	1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and anal\$5 with obtain\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-	1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and (depend\$4 independ\$4) with instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:25
-	1	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and (depend\$4 independ\$4) with instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:25

-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:56
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and transfer\$4 with modif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:57
-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and transfer\$4 same modif\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:57
-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:05
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and process\$4 with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:06

-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and (process\$4 transfer\$4 transmit\$4 send\$4) with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:06
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and (process\$4 transfer\$4 transmi\$4 send\$4) with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:06
-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and gbs	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:10
-	0	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and giga\$bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:11
-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 09:50

-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output and giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:16
-	350	"10" adj giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	42	"10" adj giga\$bits with bandwidth	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	0	"10" adj giga\$bits with bandwidth with rate with transfer\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	0	"10" adj giga\$bits with bandwidth with rate with process\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	11	"10" adj giga\$bits with bandwidth with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	0	"10" adj giga\$bits with bandwidth with rate and bit\$field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:18
-	9	"10" adj giga\$bits with bandwidth with rate and data and bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:18
-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output and giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:19
-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:20
-	7	bit adj field with operand and (transfer\$4 transmit\$4 send\$4) with (data bit field) and giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:20
-	1419	(transfer\$4 transmit\$4 send\$4) with (data bit field) and giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:20
-	252	(transfer\$4 transmit\$4 send\$4) with (data bit field) and "10" adj giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:21
-	125	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:21
-	39	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits with (transfer\$4 transmit\$4 send\$4 process\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:22

-	0	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits with (transfer\$4 transmit\$4 send\$4 process\$4) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:22
-	4	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits with (transfer\$4 transmit\$4 send\$4 process\$4) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	0	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits with (transfer\$4 transmit\$4 send\$4 process\$4) and 712/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:28
-	0	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits with (transfer\$4 transmit\$4 send\$4 process\$4) and soure and target	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	1	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits with (transfer\$4 transmit\$4 send\$4 process\$4) and input and output with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	8	(transfer\$4 transmit\$4 send\$4) with (data bit field) and rate with "10" adj giga\$bits with (transfer\$4 transmit\$4 send\$4 process\$4) and input and output and buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	5510	multi\$thread\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:22
-	25	multi\$thread\$4 and "32" adj thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:23
-	13	multi\$thread\$4 and "32" adj thread and bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:24
-	8	multi\$thread\$4 and "32" adj thread and bit adj field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:23
-	12	multi\$thread\$4 and "32" adj thread and bit not nortel.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:25
-	6	multi\$thread\$4 and "32" adj thread and bit not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:28
-	6	multi\$thread\$4 and "32 thread" and bit not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:29
-	18	multi\$thread\$4 and "32 thread" not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:29
-	18	multi\$thread\$4 and "32 threads" not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:38
-	25	multi\$thread\$4 and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:38
-	274	multi\$thread\$4 and "32" with threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:38

-	36	multi\$thread\$4 and "32" near threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 07:58
-	36	multi\$thread\$4 and "32"-near threads-not nortel.as. not modelski.in. not "claim 32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:39
-	19	multi\$thread\$4 and "32" adj threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:07
-	19	multi\$thread\$4 and "32" adj threads not nortel.as. not modelski.in. and thread and "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:10
-	19	multi\$thread\$4 and "32" adj threads not nortel.as. not modelski.in. and thread and " 32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:13
-	0	multi\$thread\$4 and (has consists include compris\$4) adj "32" adj threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:14
-	0	multi\$thread\$4 and (has consists include compris\$4) adj "32" adj processors	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:14
-	45	multi\$thread\$4 and (has consists include compris\$4) with "32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:15
-	45	multi\$thread\$4 and (has consists include compris\$4) with " 32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:15
-	3199	multi\$thread\$4 adj process\$4and (has consists include compris\$4) with " 32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:15
-	18	multi\$thread\$4 adj process\$4 and (has consists include compris\$4) with " 32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:16
-	18	multi\$thread\$4 adj process\$4 and (has consists include compris\$4) with " 32" with threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:17
-	18	multi\$thread\$4 adj process\$4 and (has consists include compris\$4) with " 32" with threads not nortel.as. not modelski.in. not "claim 32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:18
-	18	multi\$thread\$4 adj process\$4 and (has consists include compris\$4) with " 32" with threads not nortel.as. not modelski.in. not "claim 32".clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:22
-	7	multi\$thread\$4 adj process\$4 and (has consists include compris\$4) with " 32" with threads not nortel.as. not modelski.in. and thread adj register	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:32
-	23	multi\$thread\$4 adj machine	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:32
-	0	multi\$thread\$4 adj machine and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:33

-	0	multi\$thread\$4 adj machine and "32 thread"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:33
-	2347680	multi\$thread\$4 adj machine and thread - near "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:33
-	1	multi\$thread\$4 adj machine and thread near "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	1	multi\$thread\$4 adj machine and thread near2 "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	1	multi\$thread\$4 adj machine and thread near3 "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	1	multi\$thread\$4 adj machine and thread near4 "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	2	multi\$thread\$4 adj machine and thread with "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:38
-	0	multi\$thread\$4 adj machine and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:38
-	10	multi\$thread\$4 with machine and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:39
-	3	multi\$thread\$4 with machine and "32 threads" not modelski.in. not nortel.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:40
-	1357	"32 threads" not modelski.in. not nortel.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:51
-	19	"32 threads" not modelski.in. not nortel.as. and multi\$thread\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:41
-	49	"32 threads" not modelski.in. not nortel.as. and multi\$6 with process\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:53
-	2	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipul\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and giga\$bits and bus with flow	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 09:51

-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and input and output with buffer and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and giga\$bits and bus with software	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 10:25
-	7	bit adj field with operand and instruction with operation and source and target and (transfer\$4 transmit\$4 send\$4) with (data bit field) and task and classif\$4 and analysis and modif\$4 and thread and manipulat\$4 same bit and access with direct\$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer\$4 transmit\$4 send\$4 submit\$4) with (modif\$4 chang\$4 alter\$4) and giga\$bits and bus with software and buffer with (input source) and buffer with (target output destination)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 10:26